Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

Substitute for for INF	n 1449A/PTO			Ame	1141 B		1	, , ,					
INF				Whi	lication N	lumber	Unknown	10/67h,	600_			9	
INF	-	W 51561 66		Fills	g Date		Herewith						
	-	N DISCLOS		Firs	Named	Inventor	Chi Wu				جزو		
		BY APPLIC		Gro	up Art Un	it	Unknown	2874					25
(use as many	sheets necessa	ry)	Exa	miner Na	me	-tinknown	Healy	;		<u> </u>		
SHEET	1	OF	6	Doc	ket Numt	er	LIGHT1420-1						۳
												 -	3
		1	Detect De			U.S. PATE	NT DOCUMEN		5 10 .0.	CLAS		548	
Examiner	Cite No.1	0.8	. Patent Do		- Na	me of Patente	e or Applicant		Publication	Pages	Columns	Lines, V	/here-
Initials*	Citta IAO.	Num	ber	Kind Code	1	of Cited Do	cument	1	Document	Reseva	ant Passa Figures	Annear Annear	evant
41/H		4,618,210		(If known)	Van	4-			D-YYYY				$\overline{}$
A 11/14	2	4,747,654			Yi-Yi			10-21-1986 03-31-1988		<u> </u>	لح	1/5	<u> </u>
*****	3	4,813,757			_	ano et al.		03-21-1989		200	<u></u>	13/	<u> </u>
ZWA	4	4,846,542				yama		07-11-1989		- 38		17	÷
anti	5	5,002,350			Drag			03-26-1991		38	~	29	
X	6	5,013,113			Sore			05-07-1991		38			<u> </u>
mW 1	7	5,039,993			Drag			08-13-1991		34		1-1-	
ansil	8	5,243,672			Drag			09-07-1993			<u>5</u> '5	1	6
Riv		5,412,744			Drag					138		40	
54	10	5,450,511						05-02-1995 09-12-1995		120	,2	2	4
2.10	11	5,467,418			Dragone			11-14-1995		38	>	37	<u> </u>
Quid	12	5,581,643		Dragone Wu		UIIC		12-03-1996		38		7/	
Kmal	13	5,706,377		-				01-06-1998		138		1/	
anvil	14	5,841,931		Foresi et. al.		ci et al		11-24-1998		38.		13	,
tur	15	5,938,811		Greene			08-17-1999		65	<u> </u>	380	<u> </u>	
CINH	16	6,108,478			Harpon et al.			08-22-2000		1.785		., <u>, ,</u> 129	<u> </u>
Rund	17	6,118,909			——·	n et al.		09-12-2000		138		15	
										<u> </u>	1	75	
					F	OREIGN PA	TENT DOCUM	ENTS		(6055	SuB	CLAS	'5
Examiner	Cite	Fo	reign Pater	t Document	nt Name of Patentee or Appli			Date of Publication		Rages, C	umns, Li	198,	•
Initials*	No.1			r 1	Code ⁵		ted Document	of Cited	Document	Where Rel	evant Pass	ages	1e
emb !		F00	0047004		nown)	1707.0			D-YYYY	or Relevant	rigures	poear	
	18 19	EPO EPO	0647861/			AT&T Corp.		12.04.1995	14 .	382	111X		
~ ~ ~	20		0985942/				nnologies, inc.	15.03.2000		382	24X		
		Japan	2-179621		 -		Ind. Co. Ltd.	12.7.1990		325	18)		
	21	Japan	6-186598			Hitachi Ltd.		8.7.1994		385	18 X		
en#	22	Japan	63-19792	3		NEC Corp.		16.8.1988		1785	1/8>		
				OTHER	PRIOR A	ART - NON P	ATENT LITER	ATURE DOCUM	ENTS		1		
Examiner	Cite	Inchelo	name of #					en appropriate), title		Ab manadas !	unant node	, 1	
Initials*	No.1	ii RAUUU	symp	osium, catalog	etc.), dat	te, page(s), vol	ume-issue numb	en appropriate), tris er(s), publisher, city	and/or country	ok, magazine, jot where published	unai, sena	u, }	Ţε
My	23			Length Trim 9, pp. 1818-18		nnique using T	hin Film Heaters	for Silica-Based Wa	veguides on Si,	Electronics Lette	rs , Septen	nber	
M	24	ALBERT, J., pp 1136-113	Planer Fre	snel Lens Ph	toimprint	ed in a Germa	nium-Doped Silic	Optical Waveguid	e, Optics Letters	, May 15, 1995, \	/ol. 20-No.	10,	
Six	25	AMAN, M.C.	, Calculatio	n of Metal-Cla 986, pg 689-6	d Ridge-1 93	Vaveguide (M	CRW) Laser Mod	es by Mode Couplin	ng Technique, Jo	cumal of Lightway	re Technol	ogy,	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Gray Cary\GT\6279584.1 2101501-165161

^{&#}x27;Unique citation designation number. 'See attached Kinds of U.S. Patent Documents. 'Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3).

For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 'Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. 'Applicant is to place a check mark here if English language translation is attached.

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

					COMPLETE IF KNOWN
Substitute for f	Substitute for form 1449APTO (NFORMATION DISCLOSURE STATEMENT BY APPLICANT			Application Number	Unknown
				Filing Date	Herewith
**				First Named Inventor	Chi Wu
5				Group Art Unit	Unknown
	(use as many sheets necessary)		Examiner Name	Unknown	
SHEET	2	OF	6	Docket Number	LIGHT1420-1

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	Te .
But	26	AMANN, M.C. et al, Calculation Of The Effective Refractive-Index Step For The Metal-Cladded-Ridge-Waveguide Laser, Applied Optics, VOL 20, No.8, Apr 15 1981, pg 1483-1486	
gwy	27	BABA, S. et al., A Novel Integrated-Twin-Guide (ITG) Optical Switch with a Built-in TIR Region; IEEE Photonics Technology Letters; VOL 4, No.5, May 1992, pg 486-488	
BNH	28	BENSON, T.M., Etched-Wall Bent-Guide Structure for Integrated Optics in the III-V Semiconductors; Journal of Lightwave Technology, VOL LT-2, No.1, Feb 1984; pg 31-34	
BNH	30	BERRY, G.M. et al., Analysis Of Multiplayer Semiconductor Rib Waveguides With High Refractive Index Substrates, Electronics Letters; VOL 29, No.22; Oct 28 1993, pg 1941-1942	
Bull	31	BETTY, I. et al., A Robust, Low-Crosstalk, InGaAsP/InP Total-Internal-Reflection Switch For Optical Cross-Connect Application	
RNH	32	BURKE, S.V., Spectral Index Method Applied to Coupled Rib Waveguides, Electronics Letters, VOL 25, No.9, Apr 27 1989, pg 605-606	
Runt	33	BURNS, W.K. et al., Mode Conversion in Planar-Dielectric Separating Waveguides; IEEE Journal of Quantum Electronics, VOL QE-11, No.1, Jan 1975; pg 32-39	
But	34	CAI, Y. et al., A Novel Three-Guide Optical Coupler Using A Taper-Formed Waveguide; j. Appl. Phys 69(5), Mar 1991; pg 2810-2814	
But	35	CAVAILLES, J.A. et al., First Digital Optical Switch Based on InP/GalnAsP Double Heterostructure Waveguides; Electronics Letters, VOL 27, No.9, Apr 25 1991, pg 699-700	
Bult	36	CHEN, R.T. et al., Design and Manufacturing of WDM Devices; Proceedings of SPIE VOL 3234	
But	37	CLEMENS, et al., Wavelength-Adaptable Optical Phased Array in SiO2-Si, Photonics Technology Letters, October 1995, Vol. 7-No 10, 1040-1041.	
Shut	38	DAGLI, N. et al., Analysis of Rib Dielectric Waveguides; IEEE Journal of Quantum Electronics, VOL QE-21, No.4, Apr 1985, Pg 315-321	
Bust	39	DAGLI, N. et al., Theoretical and Experimental Study of the Analysis and Modeling of Integrated Optical Components; IEEE Journal of Quantum electronics, VOL 24, No.11, November 1988; pg 2215-2226	
(SWA)	40	DERI, R.J., et al., Low-Loss GaAs/AlGaAs Waveguide Phase Modulator Using A W- Shaped Index Profile; Sep 6 1988	
Hinst-	41	DERI, R.J., et al., Low-Loss Multiple Quantum Well GalnAs/InP Optical Waveguides, Feb 21, 1989	
Bull	42	DEVAUX, F. et al., 20Gbit/s Operation of a High-Efficiency InGeAsP/InGeAsP MQW Electroabsorption Modulator With 1.2-V Drive Voltage; IEEE Photonics Technology Letters, VOL 5, No.11, Nov 1993, pg 1288-1290	
Russ	43	DOERR, C.R. et al., Chirping Of The Waveguide Grating Router For Free-Spectral-Range Mode Selection in The Multifrequency Laser, IEEE Photonics Technology Letters, April 1996, Vol. 8-No. 4, pp 500-502	
BW	44	DOERR, C.R. et al., Chromatic Focal lane Displacement in the Parabolic Chirped Waveguide Grating Router, May 1997, Vol. 9-No. 5, pp 625-627	
and	45	DRAGONE, c. Efficient NxN Star Couplers Using Fourier Optics, pp 479-48, March 1989, Vol. 7-No. 3, Journal of Lightwave Technology	
But	46	FISCHER, et al., Singlemode Optical Switches Based on SOI Waveguides with Large Cross-Section, Electronics Letters, March 3, 1994, Vol. 30-No.5, pp. 406-408.	
KNY	47	FISCHER, K. et al, Sensor Application Of SiON Integrated Optical Waveguides On Silicon; Elevier Sequoia, 1992; pg 209-213	
GMA	48	FISH, G. et al., Monolithic InP Optical Crossconnects: 4x4 and Beyond, JWB2-1, Pg 19-21	
Cy VI	49	FURUTA, H. et al, Novel Optical Waveguide For Integrated Optics, Applied Optics, VOL. 13, NO. 2, Feb. 1974, pg. 322-326	·
CM	-50	GINI, E. et al., Low Loss Self-Aligned Optical Waveguide Corner Mirrors in InGaAsP/InP, We P2.22	
BW	- 51	GOEL, K. et al Design Considerations for Low Switching Voltage Crossing Channel Switches, Journal of Lightwave Technology, VOL 6, No.6, June 1988; pg 881-886	

Examiner Signature	S. Heal	ķ	Date Considered	6/	17/04

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

		COMPLETE IF KNOWN
Substitute for form 1449APTO	Application Number	Vakaowa (0/076,600
WEARING BIRDS ACTION	Filing Date	Herewith
INFORMATION DISCLOSURE	First Named Inventor	Chi Wu
STATEMENT BY APPLICANT	Group Art Unit	Unknown 2 874
(use as many sheets necessary)	Examiner Name	Waknown Healy
SHEET 3 OF 6	Docket Number	LIGHT1420-1

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	TE
BUN	52	GRANESTRAND, P. et al., Integrated Optics 4x4 Switch Metrix with Digital Optical Switches; Electronics Letters, VOL 26, No.1, Jan 4, 1990; pg 4-5	
euro	53	HIMENO, A. et al., Loss Measurement and Analysis of High-Silica Reflection Bending Optical Waveguides, Journal of Lightwave Technology, January 1988, Vol. 6-No. 1, 41-46.	
BWD	54	HSU, K.Y. et al., Photonics devices and Modules, www.cc.nctu.edu,tw/-ctrilee_mti/research_topic/photonic_devices_modules.htm, pp 1-3.	
and	55	HUANG, T.C. et al., Depletion Edge Translation Waveguide Crossing Optical Switch; IEEE Photonics Technology Letters; VOL 1, No.7, Jul 1989, pg 168-170	
RING	56	HUTCHESON, L.D. et al., Comparison of Bending Losses in Integrated Optical Circuits; Optics Letters, VOL 5, No.6, Jun 1980, pg 360-362	
BMU	57	INOUE, H. et al, Low Loss GaAs Optical Waveguides, Journal of Lightwave Technology, VOL LT-3, No.6, Dec. 1985; pg 204-209	
BUK	58	IRACE, A. et at., Fast Silicon-on-Silicon Optoelectronic Router Based on a BMFET Device, Journal of Selected Topics in Quantum Electronics, January/February 2000, Vol. 6-No. 1, pp. 14-18.	
BMH	59	ITO, F. et al., Cerrier-Injection-Type Optical Switch In GeAs With A 1.06-1.55 µm Wavelength Renge; Appl. Physics Letters, 54(2) Jan 9, 1989; pg 134-136	
BUT	60	JACKMAN, N. et al., Optical Cross Connects for Optical Networking; Bell Labs Technical Journal, Jan-Mar. 1999; pg 262-281	
BUN	61	JOHNSTON, I.R., et al., Silicon-Based Fabrication Process For Production Of Optical Waveguides; IEE Proc-Optoelectron., VOL 143, No.1, Feb 1996, pg 37-40	
GuM	62	KAENKO, A. et al., Athermal Silica-based Arrayed-waveguide Grating (AWG) Multiplexers with New Low Loss Groove Design, TuO1-1, pg 204-206	
zul	63	KASAHARA, R. et al., Low-Power Consumption Slice-Based 2x2 Thermooptic Switch Using Trenched Silicon Substrate, IEEE Photonics Technology Letters, VOL 11, No. 9, Sep 1999, pg 1132-1134	
and	64	KHAN, M.N. et al., Fabrication-Tolerant, Low-Loss, and High-Spéed Digital Optical Switches in InGaAsP/InP Quantum Wells; Proc 21 st Eur.Conf.on Opt.Comm.(ECOC '95-Brussels), pg 103-106	
ZWIF	65	KHAN, M.N. et al., High-Speed Operation of Quantum Well Electron Transfer Digital Optical Switches; pg 102-102c	
BMB	66	KIRIHARA, T. et al., Lossless And Low Crosstalk 4x4 Optical Switch Array; Electronics And Communications In Japan, Part 2, VOL 77, No.11, 1994, pg 73-81	
348	67	KIRIHARA, T. et al., Lossless and Low-Crosstalk Characteristics in an InP-Based 2x2 Optical Switch, IEEE Photonics Technology Letters, VOL 5, No. 9 Sept 1993, pg 1059-1061	
Bulg	68	KOKUBUN, Y. et al., Athermal Waveguides for Temperature-Independent Lightwave Devices, November 1993, 1297-1298, Vol. 5-NO. 11, IEEE Photonics Technology Letters.	
But	69	KOKUBUN, Y. et al., Temperature-Independent Narrowband Optical Fitter at 1.3 μm Wavelength by an Athermal Waveguide, 10 th October 1996, Vol. 32-No. 21, Electronics Letters	
Sur	70	KOKUBUN, Y. et al., Temperature-Independent Optical Filter at 1.55 µm Waveguide Using a Silica-Based Athermal Waveguide, 19 February 1998, Vol. 34-No. 4, Electronics Letters	
2W.Y	71	KOKUBUN, Y. et al., Three-Dimensional Athermal Waveguides for Temperature Independent Lightwave Devices, 21ª July 1994, Vol. 30-No. 15, Electronics Letters	
enso	72	KOSTRZEWA, C. et al., Tunable Polymer Optical Add/Drop Fitter for Multiwavelength Networks, Photonics Technology Letters, November 1997, Vol. 9-No. 11, 1487-1489.	
ans	73	LAAKMAN, K. D. et al., Waveguides: Characteristic Modes Of Hollow Rectangular Dielectric Waveguides; Applied Optics, VOL 15, No. 5, May 1976; pg 1334-1340.	

Examiner Signature Date Con	nsidered 6/11/04
-----------------------------	------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

^{&#}x27;Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ³Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

				COMPLETE IF KNOWN			
Substitute for	form 1449A/PTO			Application Number	Unknown		
١.			-	Filing Date	Herewith		
1	INFORMATION DISCLOSURE STATEMENT BY APPLICANT			First Named Inventor	Chi Wu		
5				Group Art Unit	Unidown 2879		
	(use as many sheets necessary)		Examiner Name	Uaknown Heely			
SHEET	4	OF	6	Docket Number	LiGHT1420-1		

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite . No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	Te.
But	74	LEE, T.P. et al., Al.Ga, As Double-Heterostructure Rib-Waveguide Injection Laser, IEEE Journal of Quantum Electronics; VOL QE-11, No.7, July 1975; pg 432-435	
But	75	LIU, Y.L. et al., Silicon 1x2 Digital Optical Switch Using Plasma Dispersion, Electronics Letters, VOL 30, No.2, Jan20, 1994; pg 130-131	
But	76	MAK, G. et al., High-Speed Bulk InGaAsP-InP Electroabsorption Modulators with Bandwidth in Excess of 20 GHz, IEEE Photonics Technology Letter, VOL 2, No.10, Oct 1990, pg 730-733	
Sult	77	MARCATILI, E., Improved Coupled-Mode Equations for Dielectric Guides; IEEE Journal of Quantum Electronics, VOL QE-22, No.6, June 1986; pg 988-993	
BWW.	78	MARCATILI, E.A.J., Bends in Optical Dielectric Guides; The Bell System Technical Journal, Sep 1969; pg 2103-2132	
SIM	79	MARCATILI, E.A.J., Dielectric Rectangular Waveguide and Directional Coupler for Integrated Optics, The Bell System Technical Journal, Sept 1969 pg 2071-2101	
SW	80	MARCATILI, E.A.J., Slab-Coupled Waveguides; The Bell System Technical Journal, April 1974; American Telephone & Telegraph Company, VOL 53, No.4, April 1974	
BWA	81	MIRZA, A.R. et al, Silicon Wafer Bonding For MEMS Manufacturing, Solid State Technology, Aug 1999, pg 73-78	
gmt.	82	MOERMAN, I. et al., A Review on Febrication Technologies for the Monolithic Integration of Tepers with III-V Semiconductor Devices; IEEE Journal of Selected Topics in Quantum electronics, VOL 3, No.6, Dec. 1997, pg 1308-1320	
awa	83	MULLER, G. et al., First Low Loss InP/InGaAsP Optical Switch with Integrated Mode Transformers, ThC12.10; Pg 37-40	
QIND	84	NAYYER, J. et al., Analysis of Reflection-Type Optical Switches with Intersecting Waveguides, Journal of Lightwave Technology, VOL 6, No.6, June 1988; pg 1146-1152	
GWA	85	NEGAMI, L et al., Guided-Wave Optical Wavelength Demultiplexer Using An Asymmetric Y Junction; Appl. Phys. Lett. 54 (12), Mar 20, 1989; pg 1080-1082	
Buk	86	NELSON, W. et al., Optical Switching Expands Communications-Network Capacity, Laser Focus World, Jun 1994, pg 517-520 ;	
BM	87	NELSON, W.H. et al., Wavelength-and Polarization-Independent Large Angle InP/InGaAsP Digital Optical Switches with Extinction Ratios Exceeding 20 dB; IEEE Photonics Technology Letters, VOL 6, No.11, Nov. 1994; pg 1332-1334	
Bul	88	NCDA, Y. et al., High-Speed Electroabsorption Modulator with Strip-Loaded GainAsP Planar Waveguide; Journal of Lightwave Technology, VOL LT-4, No.10, Oct 1986, pg 1445-1453	
SW	89	OFFREIN, B.J. et al., Resonant Coupler-Based Tunable Add-After-Drop Fitter in Silicon-Oxynitride Technology for WDM Networks, Journal of Selected Topics in Quantum Electronics, Vol. 5-No. 5, 1400-1405.	
BWB	90	OKAMOTO, K. et al., Arrayed-Waveguide Grating Multiplexer With Flat Spectral Responser, Optics Letters, Jan 1 1995; VOL 20, No.1; Pg 43-45	
ens	91	OKAMOTO, K. et al., Flat Spectreal Response Arrayed-Waveguide Grating Multiplexer with Perabolic Waveguide Horns, Electronics Letters Online, July 15, 1996, No. 19961120, pp. 1661-1662.	
Buch	92	OKAYAMA, H. et al., 8x8 Ti:LiNbO ₂ Waveguide Digital Optical Switch Metrix, IEICE Trans. Commun.; VOL E77-B, No.2; Feb. 1944; pg 204-208	
SW	93	OKAYAMA, H. et al., <u>Dynamic Wavelength Selective Add/Drop Node Comprising Tunable Gratings, Electronics Letters Online</u> , April 10, 1997, No. 19970607.	
SWO	94	OKAYAMA, H. et al., Reduction of Voltage-Length Product for Y-Branch Digital Optical Switch, Journal of Lightwave Technology, VOL 11, No.2, Feb 1993; pg 379-387	
GWI	95	OKUNO, M. et al., Strictly Nonblocking 16x16 Matrix Switch Using Silica Based Planar Lightwave Circuits, VOL 10, No.266, Sep 11, 1986	
Muse	96	OOBA, N. et al., Athermal Silice-Based Arrayed-Waveguide Grating Multiplexer Using Birnetal Plate Temperature Compensator, Electronics Letters, 12th October 2000, Vol. 36, No. 21, pp 1800-1801	

Examiner Signature	B	Heal	¥	Date Considered	6/	W	04	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through chation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

[COMPLETE IF KNOWN
Substitute for	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets necessary)	Application Number	Unknown		
		N DIOO! OO!	ne	Filing Date	Herewith
1				First Named Inventor	ChiWu
} ;				Group Art Unit	Linknown 2824
ĺ	use as many eneets necessary)			Examiner Name	Gritinown Jeans
SHEET	5	OF	6	Docket Number	LIGHT1420-1

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	Ţš
gust	97	RENAUD, M. et al., Compact Digital Optical Switches for Low Insertion Loss Large Switch Arrays on InP, Proc. 21* Eur. Conf.on Opt. Comm. (ECOC '95-Brussels), pg 99-102	
8m	98	RICKMAN, A.G. et al., Silicon-on-insulator Optical Rib Waveguide Loss and Mode Characteristics, Journal of Lightwave Technology, October 1994, Vol. 12-No. 10, pp 1771-1776	
Bur	99	ROLLAND, C. et al., 10 Gbit/s, 1.56 µm, Multiquantum Well InP/InGeAsP Mach-Zehnder Optical Modulator, Electronics Letters, Mar 4, 1993, VOL 29, No.5, pg 471-472	
gus	100	Santec Sales Brochure for year 2000 entitled "Optical Components" X	
BMA	101	SCHAUWECKER, B. et al, Smail-Size Silicon-Oxynitride AWG Demultiplexer Operating Around 725 nm, IEEE Photonics Technology Letters, Vol. 12 No. 12, December 2000	
SW	102	SCHLACHETZKI, A. Manolithic IO-Technology-Modulators and Switches Based on InP, SPIE VOL 651 Integrated Optical Circuit Engineering III (1986), pg 60-86	
Birth	103	SILBERBERG, Y. et al., Digital Optical Switch; Appl. Phys. Lett.; VOL 51, No. 16, Oct 19, 1987, pg 152-154	
end	104	SMIT, M.K., New Focusing and Dispersive Planar Component Based on an Optical Phased Array, Electronics Letters; Mar 31, 1988, VOL 24, No.7; Pg 385-386	
gul	105	SMITH, S.D. et al., CW Operation of Corner Cavity Semiconductor Lasers, IEEE Photonics Technology Letters, VOL 5, No.8, Aug 1993; pg 876-879	
BUN	106	SNEH, A. et al., Compact Low Crosstalk and Low Propagation Loss Quantum-Well Y-Branch Switches; PDP 4-1 - 4-5 📈	
and	107	SOOLE, J.B.D. et al., Use of Multimode Interference Couplers to Broaden the Passband of Wavelength-Dispersive Integrated WDM Fitters; IEEE Photonics Technology Letters, VOL 8, No.10, Oct 1996; pg 1340-1342	
Que	108	STOLL, L. et al., 1:8 Optical Matrix Switch on InPfinGaAsP with Integrated Mode Transformers; Optical Switches and Modulators II, pg 531-534	
ZILL	109	STOLL, L. et al., Compact and Polarization Independent Optical Switch on InP/InGaAsP; TuB7.2; pg 337-340	
Zul	110	STUTIUS, W. et al., Silicon Nitride Films On Silicon For Optical Weveguides, Applied Optics, VOL 16, No.12, Dec 1977, pg 303-307	
and	111	SUGIE, T. et al., 1.3-µm Leser Diodes with a Butt-jointed Selectively Grown Spot-Size Converter, ThB2-6, IOOC95, pg 52-53	
Bulo	112	TADA, K. et al., Bipolar Transistor Cerrier-Injected Optical Modulator/Switch: Proposal and Analysis, IEEE Electron Device Letters, VOL EDL-7, No.11, Nov 1986, pg 605-606	
GW	113	TAKADA, et al., Optical Spectrum analyzer using Cascaded AWG's with Different Channel Spacings, Photonics Technology Letters, July 1999, Vol. 11, No. 7, pp. 863-864.	
CSM!	114	TAKAHASHI, H. et al., Arrayed Waveguide Grating for Wavelength Division Multi/Demultilexer with Nanometre Resolution, PWG-NTT-7	
ew	115	TAKIGUCHI, K. et al. Dispersion Compensation Using a Planar Lightwave Circuit Optical Equalizer, Photonics Technology Letters, April 1994, Vol. 6, No. 4, pp. 561-564.	
BWB.	116	TIEN, P.K. et al., Formation of Light-Guiding Interconnections in an Integrated Optical Circuit by Composite Tapered-Film Coupling, Applied Optics, VOL 12, No. 8, Aug 1973; pg 1909-1916	
SW	117	TOYODA et al., Thermoplastic Switch and Wavelength Tunable Filter using Polymer Waveguides, Abstract of paper presented at Opticomm 2001 on August 22, 2001.	
and	118	TREYZ, G.V. et al., Silicon Optical Modulators at 1.3 µm Based on Free-Carrier Absorption; IEEE Electron Device Letters, VOL 12, No.6, June 1991; pg 276-278	
(IN)	119	TSUDA, H. et al., Performance Analysis of a Dispersion Compensator Using Arrayed-Waveguide Gratings, Journal of Lightwave Technology, August 2000, Vol. 18-No.8, pp 1139-1147.	

Examiner Signature	B.,	lealy	Date Considered	7/	16/	04	Examiner Signature	5 4	le d
		7							

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ³Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

				COMPLETE IF KNOWN				
Substitute for form 1449APTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets necessary)				Application Number	Unknown			
			NIDE .	Filing Date	Herewith			
				First Named Inventor	Chi Wu			
				Group Art Unit	Unknown 2874			
			<i>чу)</i>	Examiner Name	Unknown Heely			
SHEET	6	OF	6	Docket Number	LIGHT1420-1			

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.1				
But	120	TSUDE, H. et al., Second- and Third-Order Dispersion Compensator Using a High-Resolution Arrayed Waveguide Grating, IEEE Photonics Technology Letters, May 1999, Vol. 11-No. 5, 569-571.			
But	121	VINCHANT et al, InP 4x4 Digital-Optical-Switch Module For Multiwavelength Cross-Connect Applications; OFC '95 Technical Digest, Thursday ThK2, pg 281-282			
Ano	122	VINCHANT, J.F. et al., First Polarisation insensitive 4x4 Switch matrix on InP with Digital Optical Switches, TuB7.3, pg 341-344	T		
gus	123	VINCHANT, J.F. et al., InP Digital Optical Switch: Key Element for Guided- Wave Photonic Switching; IEE Proceedings-J, VOL 140, No.5, Oct 1993; pg 301-307			
Eur,	124	VINCHANT, J.F. et al., Low Driving Voltage or Current Digital Optical Switch on InP for Multiwavelength System Applications; Electronics Letters, VOL 28, No.12, Jun 4, 1992; pg 1135-1137	1.		
Buk	125	WAKITA, K. et al., Long Wavelength Waveguide Multiple Quantum Well Optical Modulators; IEEE Journal of Quantum Electronics, VOL QE-23, No.12, Dec 1987, pg 2210-2215			
Burg	126	WANRU, Z. et al., Total Internal Reflection Optical Switch with Injection Region Isolated by Oxygen Ion Implantation; pg 1-10	1		
gmb)	127	YAMADA, et al., Cross Talk Reduction in a 10 GHz Specing Arrayed-Waveguide Grating by Phase-Error Compensation, Journal of Lightwave Technology, March 1998, Vol. 16-No. 3, pp. 364-371.			
34H	128	YANAGAWA, H. et al., Polarization-and Wevelength-Insensitive Guided-Wave Optical Switch with Semiconductor Y Junction, Journal of Lightwave Technology, VOL 8, No.8, Aug 1990, pg 1192-1197			
24/61	129	YU, S. et al., High Speed All-Optical Packet Routing Using A Vertical Coupler Crosspoint Space Switch			
3ult	. 130	YU, S. et al., Ultralow Cross-Talk, compact integrated optical crosspoint space switch arrays employing active InGaAsP/InP Vertical Wavegukie Couplers, Integrated Optical Crosspoint Switch Arrays, Siyuan Yu et a, CPD24-2			
Zung]	131	ZENGERLE, R. et al., Tapered Twin Waveguides For Spot-Size Transformation In InP, TheB2-5; IOOC 95; pg 50-51			
ZW	132	ZIRNGIBL, M. et al., Digitally Tunable Leser Based On The Integration Of A Waveguide Grating Multiplexer And An Optical Amplifier, IEEE Photonics Technology Letters, April 1994, Vol. 6-No. 4, pp 516-517			
Bus	133	ZUCKER, J.E. et al., Strained Quantum Wells for Polarization-Independent Electrooptic Waveguide Switches, Journal of Lightwave Technology, VOL 10, No.12, Dec 1992, pg 1926-1930			
			┼		
			ļ		
			 		
			┼		
			├		
			 		

				1	
Examiner Signature	A. Healy	Date Considered	61	16/	0 /C

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. ⁶Applicant is to place a check mark here if English language translation is attached.